





You like empowering your business.

abc DG special logistics solutions for dangerous goods







Precision that gives you an extra peace of mind.

Safe, consistent and reliable. From simple consumer goods (aerosols, paints and perfumery products) up to highly radioactive materials used in manufacturing and medicine - we understand that certain cargo has special shipping requirements. At ABC, we are fully equipped to handle and deliver dangerous cargo, and are able to offer customized logistics solutions tailored to the needs of each shipment. Always. Worldwide.



Knowledge, experience and expertise - three pillars we lean on for DG transportation

Dangerous goods transportations are organized and handled by certified and fully trained logistics practitioners across entire ABC network. Our cargo experts go through ongoing, special training to ensure they keep up with all the latest safety regulations and technologies. Compliant with strict internal, external and industry regulations, we can make sure no one is ever put at risk during the handling and shipping of dangerous goods – whether it is your cargo, our staff or the environment. That's our promise.

Logistics solutions based on your needs:


- Full compliance with IATA Dangerous Goods Regulations and ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air, Doc 9284 AN/905
- Fully certified to transport all Classes of dangerous goods, including radioactive materials
- License for transportation of radioactive materials and fissile materials -Uranium/Plutonium (class 7)
- Acceptance of all types of lithium metal and lithium-ion batteries, both single and in an equipment, including cases under special provisions A88, A99
- Transportation of hybrid vehicles with lithium-ion battery engines
- Possibility to obtain approvals for carriage of certain goods
- Certified and trained personnel across the entire ABC network
- Highly customizable logistics solutions
- 24/7 surveillance of shipments





ABC services for transportation of Lithium batteries

In our tech-savvy world lithium batteries are commonly used in a variety of consumer goods, from portable electronic devices, such as laptop computers, tablets, smartphones, household goods and children's toys, up to airplane equipment and machinery. Providing an important advantage of relative lightweight, lithium batteries are not flawless. Their transportation comes with a number of restrictions and requirements in terms of safety and consistency. ABC team provides delivery solutions for lithium batteries, which are classified as Dangerous Goods (Class 9) due to possible spontaneous inflammation, in strict compliance with the latest industry standards and regulations. With ABC, you can fully count on finding experienced support and expertise your shipment needs. Always. Worldwide.



Empowered to deliver.

Your benefits at a glance:

- Acceptance of all types of lithium metal and lithium-ion batteries, both single and in an equipment, throughout entire ABC network, including cases under special provisions A88, A99
- Full compliance with IATA Dangerous Goods Regulations and ICAO Technical Instructions Doc 9284 AN/905
- Highly customized logistics solutions with personal attention
- 24/7 surveillance of shipments
- Certified and skilled specialists with the right knowledge of dangerous goods and lithium batteries transportation
- No additional restrictions on transportation of lithium batteries
- Transport of hybrid vehicles with lithium-ion battery engines
- Opportunities to obtain approvals for carriage of certain batteries
- Assistance with testing for safe transportation and obtaining of respective report (UN Manual of Tests and Criteria, Part III, subsection 38.3)
- Special training course 'Transportation of lithium batteries' by certified trainers
- Advisory support with respect to ready-for-carriage procedures



What kinds of Lithium batteries do we transport?



Lithium ion batteries - lithium batteries that contain electrolyte. They can be recharged and are applicable for portable and home electronic tools. Lithium-ion batteries are used in such technologies as: smartphones, laptops, photo and video equipment and surveillance devices, and more.

Lithium metal batteries - have lithium as a main component. These high charge density batteries are non-rechargeable, and are mostly used in remote control tools, and watches.

You like knowing you're in qualified hands.

LITHIUM ION BATTERIES

UN 3481 (RLI. ELI)

Lithium ion batteries contained in equipment

RLI (RU-03):

ELI (RU-04):

LITHIUM ION BATTERIES

UN 3480 (RBI-CAO, ELI-CAO)

Lithium ion batteries

RBI-CAO (RU-03):

RBI-CAO (RU-04):

more 100 Wh

ELI-CAO (RU-04): LITHIUM ION BATTERIES

UN 3481 (RLI. ELI)

Lithium ion batteries packed with equipment

RLI (RU-03):

ELI (RU-04):

LABELLING

Cells: more than 20 Wh Batteries: more than 100 Wh



Cells: not more 20 Wh. Batteries: not more 100 Wh



Cells: more than 20 Wh. Batteries: more than 100 Wh





Cells: not more 20 Wh. Batteries: not



CAO



Cells: not more 20 Wh. Batteries: not more 100 Wh





Cells: more than 20 Wh. Batteries: more than 100 Wh



Cells: not more 20 Wh. Batteries: not more 100 Wh



PACKING INSTRUCTION 967

Section I

Package limit (net quantity of cells/batteries):

PAX = 5 kg, CAO = 35 kg

Section II

Package limit (net quantity of cells/batteries):

PAX = 5 ka. CAO = 5 ka

PACKING INSTRUCTION 965

Section IA Package limit: CAO = 35 kg



UN- package required(PG II performance standard)

Section IB Package limit:

a) 10 kg and b) more than

8 cells with > **2,7 Wh** ≤ 20 Wh or more than 2 batteries with > **2,7 Wh** ≤ 100 Wh

Section II

Package limit: CAO a) not more 2,5kg cells/batteries with ≤ 2,7 Wh or

- b) not more 8 cells with > 2,7 Wh ≤ 20 Wh or
- c) not more 2 batteries with > 2.7 Wh ≤ 100 Wh

PACKING INSTRUCTION 966

Section I Package limit (net quantity of cells/batteries):

PAX = 5 kq. CAO = 35 kq



UN- package required (PG II performance standard)

Section II Package limit (net quantity of cells/batteries): PAX = 5 kq, CAO = 5 kq

REQUIRED DOCUMENTATION

Dangerous goods declaration



Dangerous goods declaration is not required

The words "Lithium ion batteries in compliance with Section II of PI 967" must be included in AWB

Dangerous goods declaration

Proc	Ar Weyld No. Pape of Pape Shipper's Reference functor patents
Сопри	For optional cost Air Company tops rante and address
The completed and agreed regime of this Declaration must be foregoing the grantees.	minns
TRANSPORT DETAILS	Californ to support in all requests with the applicati
This originant is within the Association Department for the Company of the Compan	the application laws, audjoind to larger personless.

Dangerous goods declaration

Proper	Ar Weyld No. New or News Stepon's Reference Number Address
Empe	For optional use Air Company tops name and address
New completion' and appeal regime of this Declaration must be formation the species.	minns
TRANSPORT DETAILS	Failure to comply in all respects with the again designment Goods Regulations may be in brea- the against tex, subject to larger personne.
Plantiments with the Asset of Departure	

Dangerous goods declaration is not required

The words "Lithium ion batteries in compliance with Section II of PI 965-CAO" must be included in AWB

Dangerous goods declaration

Proper	Ar Weptil No. Nov. or Nove Stepon's Reference Application
Empe	For optional use Air Company tops more and address
New completion and appeal segmes of this Declaration must be for participal the specietal.	Makes to sprintly in all respects with the applicat
TRANSPORT DETAILS	
Propriets with the Asset of Departure.	the applicable less suspent to larger personal

Dangerous goods declaration is not required

The words "Lithium ion batteries in compliance with Section II of PI 966" must be included in AWB

Please note:

RU-03: UN 3480, Section IA of PI965 and UN 3481, Section I of PI966 and PI967 is accepted for carriage upon prior approval of the airline. Request for approval must be send via email to dq@airbridgecargo.com RU-04: UN 3480 Section IB, II of PI965, UN 3481 Section II of PI966 and PI967, UN 3090 Section IB, II of PI968 and UN 3091, Section II of PI969 and PI970 is accepted for carriage only with a completed and signed "Shipper's Declaration for Lithium Battery" form. This form can be obtained from local airline offices or via email to dg@airbridgecargo.com

Spreading power over continents.

LITHIUM METAL BATTERIES

UN 3091 (RLM, ELM)

Lithium metal batteries contained in equipment

RLM (RU-02):

ELM (RU-04):

LITHIUM METAL BATTERIES

UN 3090 (RBM-CAO, ELM-CAO)

Lithium metal batteries

RB2-CA0 (RU-03):

RBM-CAO (RU-04):

ELM-CAO (RU-04):

Cells: not more 1g,

LITHIUM METAL BATTERIES

UN 3091 (RLM, ELM)

Lithium metal batteries packed with equipment

RLM (RU-02):

ELM (RU-04):

LABELLING

Cells: more than 1g, Batteries: more than 2g



Cells: not more 1g, Batteries: not more 2g



Cells: more than 1q, Batteries: more than 2g





Cells: not more 1g, Batteries: not more 2g





Batteries: not more 2g



Cells: more than 1q, Batteries: more than 2g



Cells: not more 1g, Batteries: not more 2g



PACKING INSTRUCTION 970

Section I Package limit (net quantity of cells/batteries): PAX = 5 kg, CAO = 35 kg

Section II

Package limit (net quantity of cells/batteries): PAX = 5 kg, CAO = 5 kg

PACKING INSTRUCTION 968

Section IA Package limit: CAO = 35 kg



UN- package required(PG II performance standard)

Section IB

Package limit CAO: a) 2,5 kg and b) more than 8 cells with > **0,3 g** ≤ 1 g or more than 2 batteries with > **0,3 g** ≤ 2 q

Section II

Package limit CAO: a) not more 2,5kg cells/batteries with \leq 0,3 g or b) not more 8 cells with $> 0.3 q \le 1q$ or c) not more 2 batteries with $> 0.3 g \le 2 g$

Section I Package limit: PAX = 5 ka. CAO = 35 ka

UN- package required(PG II performance standard)

PACKING INSTRUCTION 969

Package limit: PAX = 5 ka. CAO = 5 kg

Section II

REQUIRED DOCUMENTATION

Dangerous goods declaration



Dangerous goods declaration is not required

The words "Lithium metal batteries in compliance with Section II of PI 970" must be included in AWB

Dangerous goods declaration

President		Ar Weyld No. Nov or Name Stepon's Antonion fundor Address	
Топри		For optional use for Company tigo marie and address	
Two completion and algored segmes of this (flecimentum result in temperature the speciment).		Makeson Spirite to spring to all requests with the qualitation	
TRANSPORT DETAILS			
The programme within the brokeline prescribed for these consections:	Anjust of Departure	the applicable law, automat to larger personal	

Dangerous goods declaration



Dangerous goods declaration

is not required The words "Lithium metal batteries in compliance with Section II of PI 968-CAO" must be included in AWB

Dangerous goods declaration



Dangerous goods declaration is not required

The words "Lithium metal batteries in compliance with Section II of PI 969" must be included in AWB

Please note:

RU-02: UN 3090, Section IA of PI 968 and UN 3091, Section I of PI 969 and PI 970

RU-04: UN 3480 Section IB, II of PI965, UN 3481 Section II of PI966 and PI967, UN 3090 Section IB, II of PI968 and UN 3091, Section II of PI969 and PI970 is accepted for carriage only with a completed and signed "Shipper's Declaration for Lithium Battery" form. This form can be obtained from local airline offices or via email to dg@airbridgecargo.com



Unlimited connectivity options for your cargo.



- More than 13 years of consecutive growth
- Over 30 airfreight destinations with effective connectivity options through hub in Moscow
- 48-hour delivery time
- 1,300 cargo professionals worldwide
- Customized logistics solutions for transportation of general and special cargo
- · State-of-the-art Boeing 747 fleet
- Logistics solutions, complemented by extensive network of ABC interline partners and trucking companies worldwide
- IATA and IOSA certified, full compliance with all international/internal safety guidelines and quality standards (Cargo iQ)
- · Member of Cool Chain Association
- IATA CEIV (pharma) and QEP certified
- · Qualified and certified team of logistics practitioners for transportation of general and special cargoes
- 24/7/365 Control Tower (CT) operation to monitor and manage transportation of special cargo consignments

Our modern fleet.


AirBridgeCargo operates one of the youngest freighter fleets in the air cargo industry, consisting of 18 state-of-the-art Boeing aircraft. Boeing 747 freighter is featured to accommodate all types of dangerous goods, including 'cargo aircraft only' cases. ABC's all-Boeing fleet provides a number of important benefits for customers with Dangerous goods:

- access to maindeck cargo capacity across AirBridgeCargo's entire global network
- nose-door loading for priority loading
- separate cargo compartments with temperature settings of between 4°C to 29°C
- · possibility to isolate dangerous goods from other consignments using main deck spacious
- cargo compartments providing easy access
- lower CO₂ emissions Go Green strategy



Special attention for special cargo.

CONTROL TOWER



- real-time, round-the-clock monitoring of all cargo movements throughout the entire transportation process across ABC's network
- checkup of ABC's fleet technical condition (temperature control system, cargo handling system readiness)
- schedule alignment and control for priority delivery of special cargo
- communication with ABC specialists from different departments and customers in case of deviations for prompt response
- cargo status updates and reports
- CT personnel availability 24/7 via e-mail, skype or direct phone line

GET IN TOUCH WITH US:

RUSSIA

Moscow Head Office Building 3, 28B, Mezhdunarodnoe road, Business center "Skypoint" Moscow, Russia 141411

P: +7 495 7862613 F: +7 495 7556581 E: info@airbridgecargo.com

ISA

836 Patton Drive, Building E, Suite 237, Building D (From Export & drop station) Chicago, IL 60666

P: +1 773 800 -2361
Sales/customer service:
E: abcsales.ord@airbridgecargo.com
E: service.usa@airbridgecargo.com

EUROPE

Cargo City South, Bldg. 534/6th floor, D-60549 Frankfurt am Main

P: +49 69 638097 -100 F: +49 69 63809 7 -101 E: sales.fra@airbridgecargo.com E: service.fra@airbridgecargo.com

CHINA

Room 430, 4/F.South Office Block, Super Terminal One, Hong Kong International Airport, Chep Lap Kok, Hong Kong

P: +852 2215 3928 F: +852 2215 3878 E: service.hkg@airbridgecargo.com